



## MIGHTY EX9

## Cab Chassis

Engine				Electrical system	
Туре		Turbo Charger Intercooler		Audio	M450 (Radio+Aux/MP3 USB) Multidisplay
Type		4 stroke-cycle, Water-cooled, Direct-	injection diesel Engine	Auto Locking	Central Door Locking + Power Window + Keyless Entry + Semi Trim
Number of Cylinder		4 in-line		Steering Wheel Controls	Bluetooth Phone - Audio - Cruise Control
Piston Displacement (cc)		3.933cc		Head lamps	Semi-sealed Beam / Adjustable Dim
		Manual (5 Speed)	Auto (6 Speed)	Front Combination Lamps	Turn signal / Hazard-Amber, Position - White
Max. Power** ps/rpm (kw)	Euro V	170 HP/2,500 (125kw) Man	170HP/2,500 (125kw) Man	Fog Lamps	White
Max. Torque ** (Nm/rpm)	Euro V	448/1,400 (608nm) Man	448/1,400 (608nm) Man	Rear Combination lamps	Turn signal / Hazard-Amber, Tail / Stop - Red
Fuel System	Injection pump	Denso Common Rail System		License Plate Lamp	White
,				Service Lamp Circuit	Yes
Transmission				Daytime Running Lights	Yes
Туре		Manual (6 Speed)	Auto (6 Speed)	12v Socket in Dash	Yes x2
Version		T060 S 6	Allison 1000x fe	Power Windows	Yes
Drive		Single Plate Clutch	Lock up Torque Converter	Back-up Lamp	White
Park Pawl		N/A	YES	Instruments	
PTO		Preperation for PTO	Preperation for PTO	Meter Cluster	Fixed type
Permissable Torque		147 nm 2000 Rpm	339 nm (min rpm 1200)	Meter	Speedometer / Tachometer / Fuel gauge / Water temperature gauge LCD with odometer / Trip meter / Clock
Front Axle				Warning Lamps & Indicators	Brake fluid level of reservoir / Parking brake / Oil pressure / Battery charge /
Туре		Reverse Elliot type " I " beam		training Lamps a maloators	Tell-tale lights for head light high beam / Turn signals/ Door open / Seat belt / Low fuel
Capacity	kg	3100 kg		Horn	Single, Electric
Rear Axle	Ng	o loo hig		Cruise Control	Yes
Capacity	kg	6400 kg		Heating/ Air conditioning (Manual)	Yes
Tyre & Wheel	ĸġ	0400 kg		Steering Wheel Audio Remote Control	Yes
		Single Front, Dual Rear		Steering Wheel Auto Cruise Control	Yes
Type Tyre	Front / Rear	215/75R17.5-12PR		Body / Cab	163
Wheel	Front / Rear	17.5 x 6.00		Type Mounting	Tilt type with torsion bars, all steel welded construction with safety zone design Rigid or Semi floating type
Steering	nonit / neai	17.5 X 0.00		Windshield	One piece type with laminated glass, tinted upper section
		Power Assisted		Windshield Wipers	Dual electric three speed (intermittent / low / fast) wipers & washer
Steering		Adjustable Steering Wheel			Mirror - Heated
Service Brake		Adjustable Steering Wheel		Mirrors Driver's Seat	Coil Suspension, urethane foam cushioned STD trim
Front / Rear		Disc/Disc			Bench seat, STD Trim
			3S) Anti Brake Skid, (HSA) Hill Start Assist,	Passenger's seat	Fully Adjustable
Vehicle Dynamic Control (VDC)		(ESS) Emergency Stop Signal	55) AITTI DIARE SKIU, (HSA) HIII STAIT ASSIST,	Steering Column	Yes
P. I. P. I.		(LSS) Entergency Stop Signal		Roof Marker Lights	Yes
Parking Brake		Internal expanding type on Prepaller	shaft at the rear of Transmission assembly	Overhead Storage Mirror Width	
Actuation		Internal expanding type on Propeller	shalt at the rear of Transmission assembly		Narrow STD (optional LONG)
Exhaust Brake		Very an evented Dutterfly Velue to		Active Safety Feautures	N.
Туре		Vacuum operated, Butterfly Valve ty	Je	Electronic Stability Control	Yes
Suspension	5 . / 5			ABS Braking	
Туре	Front / Rear	Semi-elliptic, laminated Leaf Springs		Daytime Running Lights	Yes
Shock absorber			Hill Start Assist	Yes	
Exhaust system		He for and		Auto Headlights	Yes
General		Horizontal		Bluetooth Hands Free	Yes
Fuel tank		1000		Heated Mirrors	Yes
Capacity		100ℓ		Warranty	
Frame				Cab Chassis	3 years or 150,000km (whichever occurs first) against manufactures defects
Туре		"H" type frame with channel sectional side rail & cross members, side rail is reinforced with		Upper body	According to supplier
Main section side rail dimension (mm)		Depth x Flange x Thickness : 183 x 60 x 6t		Refrigeration	Where applicable Any refrigeration supplied will be either from Transcold or Thermo king , all warranty and service s
Weights		0000 0050 1			be according to their terms and conditions
*Chassis cab weight kg			Annotations		
** Max Gross Vehicle Weight		8,500 kg		1) Empty vehicle weight and curb weight shown are to 3.5% variation to allow for production tolerance.	
Gross vehicle weight	Front / Rear	3,100 kg/6,400 kg		2) Empty vehicle weight and curb weight include weight of oil, fuel, coolant and spare tire carrier & bracket, but exclude standard tool set	
		3) The vehicle specification may differ per country.			
		4) Hyundai New Zealand reservs the right to alter the specifications, equipment or options or discontinue the models at any time without prior notice.			

4) Hyundai New Zealand reservs the right to alter the specifications, equipment or options or discontinue the models at any time without prior notice

\*Approximate, depending on variant and specification

\*\*Max GVW includes the front and rear axle loads based on permissable tyre load 5,995kg & 6,500kg varients

images may contain additional cost options

## MIGHTY EX9

## Cab Chassis

EX9 Std Cab Long Wheelbase


EX9 Std Cab Extra Long Wheelbase




1650

2180

2370





4840



